

### RULE BOOK DISCLAIMER

The rules and/or regulations set forth herein are designed to provide for the orderly conduct of racing events and to establish minimum acceptable requirements for such events. These rules shall govern the condition of all events, and by participating in these events, all participants are deemed to have complied with these rules. **NO EXPRESSED OR IMPLIED WARRANTY OF SAFETY SHALL RESULT FROM PUBLICATIONS OF OR COMPLIANCE WITH THESE RULES AND OR REGULATIONS.** They are intended as a guide for the conduct of the sport and are in no way a guarantee against injury or death to a participant, spectator, or official.

The race director shall be empowered to permit reasonable and appropriate deviation from any of the specifications herein or impose any further restrictions that in his/her opinion does not alter the minimum acceptable requirements. **NO EXPRESSED OR IMPLIED WARRANTY OF SAFETY SHALL RESULT FROM SUCH ALTERATION OF SPECIFICATIONS.** Any interpretation or deviation of these rules is left to the discretion of the officials. Their decision is final.

The Management of Hummingbird Speedway

## **2024 HUMMINGBIRD SPEEDWAY LATE MODEL RULES**

See GENERAL RULES and SAFETY RULES that apply to all classes.  
All requirements listed in those sections MUST be met unless an exception is clearly stated.

### **CHASSIS/BODY**

1. Late model chassis will be allowed. Wheelbase must be a minimum of 103".

**Bodies must conform to World of Outlaw Late Model Rules.**

2. No glass is permitted.
3. Aluminum or rubber nosepieces are permitted.
4. Full floorboards and firewall in driver's compartment.
5. No sideboards or wings.
6. Max. deck height 38".
7. Max spoiler height 8".
8. Max length of spoiler sides or middle support 19" max.
9. Max deck plus spoiler height 46".
10. No part of the body or frame will be longer than 46 inches from the center of the rear wheels to the back of the car.

### **SUSPENSION**

**Suspension must conform to World of Outlaw Late Model Rules.**

11. Any suspension permitted; a driver-controlled jacking device is not!! Cars must have minimum 5 inches ride height from lowest point of the frame rail.

### **ENGINE/DRIVETRAIN**

12. Aluminum blocks are permitted.
13. Dry sumps will be permitted.
14. 2 or 4 barrel carburetors.
15. No turbos or superchargers. No nitrous oxide.

- 16. Cars must start and run under their own power.
- 17. Cars must have working reverse.
- 18. Quick change rear ends and floaters are permitted.

#### WEIGHT

- 19. Minimum weight will be 2300 lbs. (with driver) after feature.

#### WHEELS/TIRES

- 20. Any tire 1100 series max.

#### ROLLCAGE / SAFETY

Please read and follow all Safety Rules and Regulations found in the section titled SAFETY RULES!

#### OTHER

- 21. Alcohol is allowed for fuel; if used, car must be clearly marked with an "A" on the fuel cell and by the driver's door or A-pillar.